




M18 FUEL™


DRIVEN TO OUTPERFORM.™



**POWERSTATE™
BRUSHLESS MOTOR**



**REDLINK PLUS™
INTELLIGENCE**



**REDLITHIUM™-ION
HIGH OUTPUT**

**REDLITHIUM™-ION
BATTERY PACK**

M18 FAC
**M18 FUEL
AIR
COMPRESSOR**

QUIETER
THAN
CORDED

EASIER
TRANSPORT

UP TO
1,600
NAILS PER
CHARGE



DRIVEN TO OUTPERFORM.

M18 FUEL is engineered for the most demanding tradesmen in the world. Delivering unrivaled performance in a compact structure, all M18 FUEL products feature three MILWAUKEE exclusive innovations - the POWERSTATE Brushless Motor, REDLITHIUM-ION Battery Pack and REDLINK PLUS Intelligence Hardware and Software - that deliver unmatched power, run-time and durability.

M18 FUEL™

7.6L TANK

Capacity to run common brad & finish nailers and staplers

48L/MIN AT 2.8BAR

Performance to run common brad & finish nailers and staplers

QUIET PUMP – ONLY 68DBA

Quietest cordless compressor for reduced noise on the jobsite

SINGLE TURN REGULATOR

Quickly adjust tool pressure to designed level

ALL STEEL ROLE CAGE

Added durability to protect critical components during jobsite use and transportation

QUICK CONNECT COUPLER

Quickly attach and change hoses for increased productivity

SUITCASE STYLE HANDLE

Lower center of gravity and inline handle location for easier carrying on and off the jobsite


COMPATIBLE WITH ALL M18 REDLITHIUM-ION PACKS

Compatible with all M18 REDLITHIUM-ION batteries for better work flow and less downtime



M18 FUEL AIR COMPRESSOR

QUIETER THAN CORDED



- Work and communicate with less noise
- Runs at only 68dBA

EASIER TRANSPORT



- Compact design for easy storage and stacking
- Suitcase handle for easy carrying

UP TO 1,600 NAILS PER CHARGE

LESS DOWN TIME

M18 REDLITHIUM-ION HIGH OUTPUT 12.0 Ah Battery
UP TO 1,600 NAILS*

M18 REDLITHIUM-ION HIGH OUTPUT 8.0 Ah Battery
UP TO 1,000 NAILS*

M18 REDLITHIUM-ION 5.0 Ah Battery
UP TO 600 NAILS*

*Nails per Battery

- Fully Compatible with all M18 Packs



SPECIFICATIONS

DESCRIPTION	SPECIFICATIONS
Power Input	22 A
Rated Input	400 W
Maximum Air Pressure	135 psi / 9.31 bar
Air Tank Capacity	7.6 L

DESCRIPTION	SPECIFICATIONS
Free Air Delivery	48 L/min @ 2.8bar
Quick Connect Type	¼" Nitto
Sound Level	68 dB(A)
Weight (w/5.0Ah battery)	15.5 kg



Milwaukee™

M12

M18

Nothing but **HEAVY DUTY**

MILWAUKEE TOOL

Milwaukee Electric Tool Corporation
BROOKFIELD, WI 53005
USA
Tel: +1 (262) 781-3600 • Fax: +1 (262) 790-6333

Milwaukee Asia Office
29/F, Tower 2, Kowloon Commerce Centre,
51 Kwai Cheong Road, Kwai Chung, Hong Kong
Tel: +852-2492-2181 • Fax: +852-2490-4778

Distributed by:

21/10/2020

All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures not binding. No liability for printing errors or mistakes. © 2020 Milwaukee Electric Tool Corporation. All trademarks are owned by Techtronic Cordless GP unless otherwise stated.

www.milwaukeetool.asia