



Milwaukee™

M18 FUEL™


DRIVEN TO OUTPERFORM.™



POWERSTATE™
BRUSHLESS MOTOR



REDLINK PLUS™
INTELLIGENCE



REDLITHIUM™-ION
BATTERY PACK

M18 FMCS66
M18 FUEL
203MM
METAL
CUTTING
SAW

GENERATE
CORDED
POWER

FASTER
THAN
CORDED

CUTS
36M
OF DECKING
PER CHARGE



DRIVEN TO OUTPERFORM.

M18 FUEL is engineered for the most demanding tradesmen in the world. Delivering unrivaled performance in a compact structure, all M18 FUEL products feature three MILWAUKEE exclusive innovations - the POWERSTATE Brushless Motor, REDLITHIUM-ION Battery Pack and REDLINK PLUS Intelligence Hardware and Software - that deliver unmatched power, run-time and durability.

M18 FUEL™

DUAL-ACTUATED TRIGGER

Prevents accidental tool start-ups

OVERLOAD INDICATOR LIGHT

Turns yellow when user is pushing too hard, coaching the user to optimal cutting speed

TOOL-FREE REMOVABLE CHIP COLLECTOR

Provides easy metal chip removal and clean-up

POWERSTATE BRUSHLESS MOTOR

Generates corded power

M18 REDLITHIUM-ION HIGH OUTPUT 8.0AH BATTERY

ELECTRIC BLADE BRAKE

Stops all blades in under one second

TOOL-FREE ADJUSTABLE SHOE

Adjusts shoe depth for optimal cutting capacity



ACCESSORIES



**203mm 42T
for Metal and
Stainless**
48-40-4515



**203mm 50T
for Metal and
Stainless**
48-40-4520



**203mm 58T
for Aluminum**
48-40-4345

M18 FUEL 203MM METAL CUTTING SAW

GENERATES CORDED POWER

INCREASED PRODUCTIVITY



MILWAUKEE
M18 FUEL


STANDARD
METAL
CUTTING SAW

- Ability to cut through tougher, thicker metals
- Power to cold cut thick metals, with no cords or hoses



FASTER THAN CORDED

FASTER CUTS




- Faster cutting than corded



CUTS 36M OF DECKING PER CHARGE

LESS DOWN TIME



- Cuts 36m of decking per charge



SPECIFICATIONS

DESCRIPTION	SPECIFICATIONS
No load speed	0-4,000 rpm
Blade diameter	203 mm
Arbor size	15.87 mm
Max. cutting depth	66 mm

DESCRIPTION	SPECIFICATIONS	
Max. cutting capacity	Steel plate	25 mm
	Angle iron	63.5 x 63.5 x 6.35 mm
	Metal pipe	ø 50 mm
	Sections	66 mm
Weight (w/8.0Ah battery)	6.9 kg	



Milwaukee™

M12™

M18™

Nothing but **HEAVY DUTY**

MILWAUKEE TOOL

Milwaukee Electric Tool Corporation
BROOKFIELD, WI 53005
USA

Tel: +1 (262) 781-3600 • Fax: +1 (262) 790-6333

Milwaukee Asia Office

29/F, Tower 2, Kowloon Commerce Centre,
51 Kwai Cheong Road, Kwai Chung, Hong Kong

Tel: +852-2492-2181 • Fax: +852-2490-4778

Distributed by:

29/06/2020

All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures not binding. No liability for printing errors or mistakes. © 2020 Milwaukee Electric Tool Corporation. All trademarks are owned by Techtronic Cordless GP unless otherwise stated.

www.milwaukeetool.asia